



## FADAK PUMP Submersible Drainage Pump



### SAETY TIPS      TECHNICAL INFORMATION      MATERIAL      USES

- ★ Filling the pump with water before starting the engine from correct place
- ★ Make absolutely sure of the correct voltage
- ★ Please refer to a specialist for installation

- ★ Engine speed : 2900 rpm
- ★ Voltage : 380/400 volts
- ★ Frequency : 50 Hz
- ★ Engine speed : 2900 rpm

- ★ Complete pump : cast iron anti-wear
- ★ Body pump : steel
- ★ Upper and lower motor bearings : steel and bronze, steel and graphite
- ★ Round floor systems : graphite and steel

- ★ For industrial and agricultural
- ★ For use and water transfer
- ★ For use in fountains and water front



Technical tabel															
PUMP	Lit/s	13/8	9/72	8/33	6/94	5/55	4/16	2/77	1/38	Q=Discharge	POWER	FLOW	WELL DIAM-ETER	PIPE DIAM-ETER	WEIGHT
TYPE	m³/h	50	35	30	25	20	15	10	5	Q=Discharge					
380 V															
50 HZ															
Total height in terms of meter											KW	A	in	in	Kg
F 22/1		9	11	13	15	17	19	20	21		3/7	9	12	3	56
F 27/1		-	13	16	18	20	22	25	26		3/7	9	12	3	56
F 54/2		-	30	35	40	45	50	54	58		7/5	17	12	3	72
F 72/3		-	35	45	50	60	65	70	74		9/2	21/5	12	3	84
F 92/3		-	45	55	65	70	75	80	84		11	25	12	3	85
F 120/4		-	60	70	80	90	100	105	110		13	28	12	3	102
F 150/5		-	75	85	95	105	120	130	140		15	32	12	3	118
F 180/6		-	90	110	125	135	145	155	165		18/5	40	12	3	142

3 inch

FADAK PUMP

F 27/1   F 54/2   F 72/3   F 92/3   F 120/4   F 150/5   F 180/6